EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	723	379/382.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:53
L2	1	L1 and differential adj ring$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:55
L3	758	379/418.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 12:55
L4	1	L3 and differential adj ring$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:02
L6	11	"379"/$.ccls. and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:13
L7	1174	379/413-413.01.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:12
L8	2	L7 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:48
L11	10358	(ringing adj signal$1 or call adj alert$3 or alert$3 adj signal$1) and $4phone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:18

EAST Search History

L12	2756	L11 and generat$3 with (ringing adj signal$1 or call adj alert$3 or alert$3 adj signal$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 13:19
L13	23	L12 and (ringing adj signal$1 or call adj alert$3 or alert$3 adj signal$1) with differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:31
L15	4	L13 and (DC$1offset or DC adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:47
L17	38	L12 and (DC-offset or DC adj offset)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:22
L19	61	(george-scott$).IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:47
L20	2	L19 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:52
L21	248	silicon adj laborator$.AS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:51
L22	0	L21 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:53

L23	8044	330/251-261.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L24	0	L23 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L25	562	340/384.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L26	0	L25 and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:54
L27	1	"330"/$.ccls. and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:56
L28	0	"340"/$.ccls. and differential adj ringing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/10 14:56

Google

Web   Images   Groups   News   Froogle   Maps   **more »**

"differential ringing" "DC offset"	Search	Advanced Search
		Preferences

Web   Results **1 - 6** of about 7 for **"differential ringing" "DC offset"**. (0.43 seconds)

Tip: Try removing quotes from your search to get more results.

[PDF] ISL5586
File Format: PDF/Adobe Acrobat - View as HTML
waveshapes with **DC offset**. Loop start and ground start. trunks are supported, and
an open ... **differential ringing** gain of the device is 100V/V. The circuit ...
www.intersil.com/data/fn/fn4924.pdf - Similar pages

    [PDF] HC55180, HC55181, HC55183, HC55184
    File Format: PDF/Adobe Acrobat - View as HTML
    Differential Ringing Gain is measured with VRS = 0.795 V. RMS. for -100V
    devices, VRS = 0.663 V ... The balanced ringing waveform consists of zero **DC**
    offset ...
    www.intersil.com/data/fn/fn4519.pdf - Similar pages

Details and datasheet on part: ISL5586CIM
... up to 95V peak supporting sinusoidal or trapezoidal waveshapes with **DC offset**.
... Ringing Mode Referenced to the **Differential Ringing** Amplitude. ...
www.digchip.com/datasheets/ parts/datasheet/235/ISL5586CIM.php - 20k -
Cached - Similar pages

[PDF] Le9502
File Format: PDF/Adobe Acrobat - View as HTML
DC offset support. — Common differential interface for both channels ... single or
differential ringing waveform using the VRINGP and VRINGM pins, ...
www.legerity.com/getfile.php?bpd_163_DS_Datasheet-for-
REV.CDE_G1_ID081007.pdf - Similar pages

米国特許公開公報 20050063534 - Direct drive for a subscriber line ... - [Translate this page]
米国特許公開公報 20050063534 (USPTOの全文) , 2005-03-24. Direct drive for a
subscriber line **differential ringing** signal having a **DC offset** ...
cxp.paterra.com/jp/uspregrant20050063534.html - 20k - Supplemental Result -
Cached - Similar pages

[PDF] Le9502
File Format: PDF/Adobe Acrobat - View as HTML
DC offset support. – Common differential interface for both channels ... Internal
ringing is accomplished by applying a **differential ringing** ...
www.icdevice.co.kr/korea/product_info_tool/
include/product_info/files/phpZBcgyx/le9502.pdf - Similar pages

Try your search again on Google Book Search

Free! Speed up the web. Download the Google Web Accelerator.

| "differential ringing" "DC offset" | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Search Results

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(differential ringing<in>metadata)"
Your search matched **32** of **1351636** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» **Search Options**

View Session History

New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

(differential ringing<in>metadata)

☐ Check to search only within this results set

Display Format: ⦿ Citation ○ Citation & Abstract

[view selected items]   **Select All Deselect All**

☐ 1. **Process and temperature compensation in a 7-MHz CM oscillator**
Sundaresan, K.; Allen, P.E.; Ayazi, F.;
Solid-State Circuits, IEEE Journal of
Volume 41, Issue 2, Feb. 2006 Page(s):433 - 442
Digital Object Identifier 10.1109/JSSC.2005.863149
AbstractPlus | Full Text: PDF(2448 KB)   IEEE JNL
Rights and Permissions

☐ 2. **Differential ring oscillators with multipath delay stages**
Mohan, S.S.; Chan, W.S.; Colleran, D.M.; Greenwood, S.F
Kouznetsov, I.G.;
Custom Integrated Circuits Conference, 2005. Proceedings
18-21 Sept. 2005 Page(s):503 - 506
Digital Object Identifier 10.1109/CICC.2005.1568716
AbstractPlus | Full Text: PDF(315 KB)   IEEE CNF
Rights and Permissions

☐ 3. **Simulations of GaAs voltage controlled differential ring**
Ceperic, V.; Baric, A.;
EUROCON 2003. Computer as a Tool. The IEEE Region 8
Volume 1, 22-24 Sept. 2003 Page(s):151 - 155 vol.1
AbstractPlus | Full Text: PDF(330 KB)   IEEE CNF
Rights and Permissions

☐ 4. **A 7-MHz process, temperature and supply compensated in 0.25 /spl mu/m CMOS**
Sundaresan, K.; Brouse, K.C.; U-Yen, K.; Ayazi, F.; Allen,
Circuits and Systems, 2003. ISCAS '03. Proceedings of the
Symposium on
Volume 1, 25-28 May 2003 Page(s):I-693 - I-696 vol.1
AbstractPlus | Full Text: PDF(343 KB)   IEEE CNF
Rights and Permissions

☐ **5. Jitter and phase noise in ring oscillators**
Hajimiri, A.; Limotyrakis, S.; Lee, T.H.;
Solid-State Circuits, IEEE Journal of
Volume 34, Issue 6, June 1999 Page(s):790 - 804
Digital Object Identifier 10.1109/4.766813

AbstractPlus | References | Full Text: PDF(752 KB)   IEEI
Rights and Permissions

☐ **6. Simulation technique for noise and timing jitter in elect**
Zhang, C.W.; Wang, X.Y.; Forbes, L.;
Circuits, Devices and Systems, IEE Proceedings [see also I
Circuits, Devices and Systems]
Volume 151, Issue 2, 12 April 2004 Page(s):184 - 189
Digital Object Identifier 10.1049/ip-cds:20040435

AbstractPlus | Full Text: PDF(1393 KB)   IEE JNL

☐ **7. A multiple-probe approach for robust frequency domai**
simulation
Xiaochun Duan; Kartikeya Mayaram;
Custom Integrated Circuits Conference, 2005. Proceedings
18-21 Sept. 2005 Page(s):465 - 468
Digital Object Identifier 10.1109/CICC.2005.1568707

AbstractPlus | Full Text: PDF(176 KB)   IEEE CNF
Rights and Permissions

☐ **8. Phase noise in inverter-based & differential CMOS ring**
Abidi, A.A.; Samadian, S.;
Custom Integrated Circuits Conference, 2005. Proceedings
18-21 Sept. 2005 Page(s):457 - 460
Digital Object Identifier 10.1109/CICC.2005.1568705

AbstractPlus | Full Text: PDF(416 KB)   IEEE CNF
Rights and Permissions

☐ **9. A built-in self-test scheme for differential ring oscillator**
Dermentzoglou, L.; Tsiatouhas, Y.; Arapoyanni, A.;
Quality of Electronic Design, 2005. ISQED 2005. Sixth Int
Symposium on
21-23 March 2005 Page(s):448 - 452
Digital Object Identifier 10.1109/ISQED.2005.2

AbstractPlus | Full Text: PDF(616 KB)   IEEE CNF
Rights and Permissions

☐ **10. Artificial neural network in modelling of voltage contro**
with jitter
Ceperic, V.; Baric, A.; Pejcinovic, B.;
Electrotechnical Conference, 2004. MELECON 2004. Proc
12th IEEE Mediterranean
Volume 1, 12-15 May 2004 Page(s):347 - 350 Vol.1
Digital Object Identifier 10.1109/MELCON.2004.1346871

AbstractPlus | Full Text: PDF(467 KB)   IEEE CNF
Rights and Permissions

☐ **11. A 5-Gb/s 1/8-rate CMOS clock and data recovery circu**
Jin Kyu Kwon; Tae Kwan Heo; Sang-Bock Cho; Sung Mi
Circuits and Systems, 2004. ISCAS '04. Proceedings of the
Symposium on
Volume 4, 23-26 May 2004 Page(s):IV - 293-6 Vol.4

AbstractPlus | Full Text: PDF(477 KB)   IEEE CNF
Rights and Permissions

☐ **12. Simulation of timing jitter in ring oscillators**
Zhang, C.W.; Forbes, L.;
University/Government/Industry Microelectronics Sympos
Proceedings of the 15th Biennial
30 June-2 July 2003 Page(s):356 - 359
AbstractPlus | Full Text: PDF(304 KB)   IEEE CNF
Rights and Permissions

☐ **13. 25 GHz inductorless VCO in a 45 GHz SiGe technology**
Saniei, N., Jr.; Djahanshahi, H.; Salama, C.A.T.;
Radio Frequency Integrated Circuits (RFIC) Symposium, 2
8-10 June 2003 Page(s):269 - 272
AbstractPlus | Full Text: PDF(308 KB)   IEEE CNF
Rights and Permissions

☐ **14. Timing jitter in a 1.35-GHz single-ended ring oscillator**
Zhang, C.W.; Forbes, L.;
Circuits and Systems, 2002. MWSCAS-2002. The 2002 45
Symposium on
Volume 3, 4-7 Aug. 2002 Page(s):III-308 - III-311 vol.3
AbstractPlus | Full Text: PDF(321 KB)   IEEE CNF
Rights and Permissions

☐ **15. A low-phase-noise CMOS ring oscillator with differenti**
quadrature outputs
Liang Dai; Harjani, R.;
ASIC/SOC Conference, 2001. Proceedings. 14th Annual II
12-15 Sept. 2001 Page(s):134 - 138
Digital Object Identifier 10.1109/ASIC.2001.954686
AbstractPlus | Full Text: PDF(472 KB)   IEEE CNF
Rights and Permissions

☐ **16. Design of a 3.3 V high frequency CMOS VCO with an ₂**
functionality
Yun Cheol Han; Kwang Sub Yoon;
Circuits and Systems, 2001. MWSCAS 2001. Proceedings
2001 Midwest Symposium on
Volume 1, 14-17 Aug. 2001 Page(s):324 - 327 vol.1
Digital Object Identifier 10.1109/MWSCAS.2001.986178
AbstractPlus | Full Text: PDF(162 KB)   IEEE CNF
Rights and Permissions

☐ **17. CMOS VCOs for frequency synthesis in wireless biotele**
Betancourt-Zamora, R.J.; Lee, T.H.;
Low Power Electronics and Design, 1998. Proceedings. 19
Symposium on
10-12 Aug 1998 Page(s):91 - 93
AbstractPlus | Full Text: PDF(240 KB)   IEEE CNF
Rights and Permissions

☐ **18. PLL design for a 500 MB/s interface**
Horowitz, M.; Chan, A.; Cobrunson, J.; Gasbarro, J.; Lee, '
Richardson, W.; Thrush, T.; Fujii, Y.;
Solid-State Circuits Conference, 1993. Digest of Technical
ISSCC., 1993 IEEE International
24-26 Feb. 1993 Page(s):160 - 161, 282
Digital Object Identifier 10.1109/ISSCC.1993.280015
AbstractPlus | Full Text: PDF(528 KB)   IEEE CNF

Rights and Permissions

☐ 19. **Selectivity of spatial filters for surface EMG detection f anterior muscle**
Farina, D.; Arendt-Nielsen, L.; Merletti, R.; Indino, B.; Gr:
Biomedical Engineering, IEEE Transactions on
Volume 50, Issue 3, March 2003 Page(s):354 - 364
Digital Object Identifier 10.1109/TBME.2003.808830

AbstractPlus | References | Full Text: PDF(750 KB) IEE
Rights and Permissions

☐ 20. **An efficient and robust method for ring-oscillator simu harmonic-balance method**
Xiaochun Duan; Mayaram, K.;
Computer-Aided Design of Integrated Circuits and System
Transactions on
Volume 24, Issue 8, Aug. 2005 Page(s):1225 - 1233
Digital Object Identifier 10.1109/TCAD.2005.850803

AbstractPlus | Full Text: PDF(240 KB) IEEE JNL
Rights and Permissions

☐ 21. **High speed differential voltage clamped current mode ı**
Jeong, D.Y.; Chae, S.H.; Song, W.C.; Cho, G.H.;
Electronics Letters
Volume 33, Issue 13, 19 June 1997 Page(s):1102 - 1103

AbstractPlus | Full Text: PDF(260 KB) IEE JNL

☐ 22. **A 1.0 V 10.2 GHz CMOS frequency divider with differı locking**
Fujishima, M.; Amamoto, K.;
Wireless Communication Technology, 2003. IEEE Topical
15-17 Oct. 2003 Page(s):164 - 165
Digital Object Identifier 10.1109/WCT.2003.1321470

AbstractPlus | Full Text: PDF(279 KB) IEEE CNF
Rights and Permissions

☐ 23. **A CMOS time-to-digital converter based on a ring oscil radar**
Nissinen, I.; Mantyniemi, A.; Kostamovaara, J.;
Solid-State Circuits Conference, 2003. ESSCIRC '03. Proc
European
16-18 Sept. 2003 Page(s):469 - 472
Digital Object Identifier 10.1109/ESSCIRC.2003.1257174

AbstractPlus | Full Text: PDF(524 KB) IEEE CNF
Rights and Permissions

☐ 24. **A unified eigenvalue theory for time-varying linear circ**
Zhu, J.; Johnson, C.D.;
Circuits and Systems, 1990., IEEE International Symposiu
1-3 May 1990 Page(s):1393 - 1397 vol.2
Digital Object Identifier 10.1109/ISCAS.1990.112391

AbstractPlus | Full Text: PDF(400 KB) IEEE CNF
Rights and Permissions

☐ 25. **Active GHz clock network using distributed PLLs**
Gutnik, V.; Chandrakasan, A.P.;
Solid-State Circuits, IEEE Journal of
Volume 35, Issue 11, Nov. 2000 Page(s):1553 - 1560
Digital Object Identifier 10.1109/4.881199

AbstractPlus | References | Full Text: PDF(160 KB)   IEE
Rights and Permissions

Help   Cor
                                                        ‚